

AUTHOR INDEX

- AL-AGHBAR, M.N.A., ALEXANDER, G.J.M., NEUBERGER, J., NOURI-ARIA, K.T., EDDLESTON, A.L.W.F. & WILLIAMS, R. The effect of prednisolone *in vitro* on immunoglobulin production in primary biliary cirrhosis, 663
- ALAM, R., KUNA, P., ROZNIIECKI, J. & KUZMINSKA, B. Bacterial antigens stimulate the production of histamine releasing factor (HRF) by lymphocytes from intrinsic asthmatic patients, 241
- ALBERTI, A. *see* MONDELLI, M.
- ALESSI, A. *see* BIAGIOTTI, R.
- ALEXANDER, G.J.M., MONDELLI, M., NAUMOV, N.V., NOURI-ARIA, K.T., VERGANI, D., LOWE, D., EDDLESTON, A.L.W.F. & WILLIAMS, R. Functional characterization of peripheral blood lymphocytes in chronic HBsAg carriers, 498
- ALEXANDER, G.J.M. *see* AL-AGHBAR, M.N.A.
- ALMERIGOGNA, F. *see* BIAGIOTTI, R.
- AMOR, B. *see* MACH, P.S.
- ANDERSEN, V. *see* PEDERSEN, B.K.
- ANDERSON, M.G. *see* SAXENA, S.
- ANDERSON, R. *see* SHEPHARD, E.G.
- ANDO, I., MORGAN, G., LEVINSKY, R. & CRAWFORD, D.H. A family study of the X-linked lymphoproliferative syndrome: evidence for a B cell defect contributing to the immunodeficiency, 271
- ARMITAGE, R.J. & CAWLEY, J.C. Normal and certain leukaemic B cells express IL-2 receptors without *in vitro* activation, 298
- ASKENASE, P.W. *see* TSKOLOS, N.D.
- AUCOUTURIER, P., COUDERC, L.J., GOUET, D., DANON, F., GOMBERT, J., MATHIRON, S., SAIMOT, A.G., CLAUVEL, J.P. & PREUD'HOMME, J.L. Serum immunoglobulin G subclass dysbalances in the lymphadenopathy syndrome and acquired immune deficiency syndrome, 234
- AVERY, J. *see* LEHNER, T.
- AYOUB, E.M. *see* BARRETT, D.J.
- BACQ, J. *see* JACOB, L.
- BACH, J. *see* KAISERLIAN, D.
- BAGCHUS, W.M., VOS, J.T.W.M., HOEDEMAEKER, PH.J. & BAKKER, W.W. The specificity of nephritogenic antibodies. III. Binding of anti-Fx1A antibodies in glomeruli is dependent on dual specificity, 639
- BAKES, D.M. *see* TAI, P.
- BAKKER, W.W. *see* BAGCHUS, W.M.
- BALLIEUX, R.E. *see* BLOEM, A.C.
- BARKANS, J. *see* TAI, P.
- BARNASS, S. *see* ROK, G.A.W.
- BARRETT, D.J. & AYOUB, E.M. IgG2 subclass restriction of antibody to pneumococcal polysaccharides, 127
- BAST, E.J.E.G. *see* BLOEM, A.C.
- BATAILLE, R. *see* COMMES, T.
- BEDARD, P.M. *see* SALARI, H.
- BELL, R.C., HOFFMAN-GOETZ, L. & KEIR, R. Monocyte factors modulate *in vitro* T-lymphocyte mitogenesis in protein malnutrition, 194
- BENCZUR, M. *see* PERL, A.
- BENNETT, A. *see* FRAMPTON, G.
- BERTHOUX, F.C. *see* GENIN, C.
- BERZINS, K. *see* BROWN, J.
see WAHLGREN, M.
- BEVERLEY, P.C.L. *see* ISENBERG, D.A.
- BIAGIOTTI, R., GIUDIZI, F., ALMERIGOGNA, F., MAZZETTI, M., ALESSI, A., DEL PRETE, G.F., RAFANELLI, D., FIORILLI, M., MORFINI, M. & ROMAGNANI, S. Abnormalities of *in vitro* immunoglobulin production in apparently healthy haemophiliacs: relationship with alterations of T cell subsets and with HTLV-III seropositivity, 354
- BJÖRKMAN, A. *see* WAHLGREN, M.
- BLACKLOCK, H.A. *see* JANOSSY, G.
- BLETRY, O. *see* PRIN, L.
- BLOEM, A.C., CHAND, M.A., VAN CAMP, B., BAST, E.J.E.G. & BALLIEUX, R.E. Mitogenic stimulation of malignant B cells Waldenström's macroglobulinaemia: secretion of monoclonal IgM by *in vitro*-induced plasmablasts, 156
- BLOEM, A.C., CLEVERS, J.C., BAST, E.J.E.G. & BALLIEUX, R.E. T cells in B cell chronic lymphocytic leukaemia. I. Decreased frequency of T lymphocytes secreting suppressor factor, 188
- BONALI, A. *see* PASSALEVA, A.
- BONARO, P. *see* VANOLI, M.
- BORDA, E. *see* LEIROS, C.P.
- BORGEAT, P. *see* SALARI, H.
- BOTTAZZO, G.F. *see* KOSOWICZ, J.
- BRANDLEY, M., LAGRANGE, P.H. & HURTEL, B. Effects of suramin on the *in vivo* antimicrobial resistance against *Listeria monocytogenes* and *Mycobacterium bovis* (BCG) in mice, 118
- BRANDTZAEG, P. *see* SOLLID, L.M.
- BRENCHELY, P.E.C. *see* FEHALLY, J.
- BRENNER, M.K. *see* JANOSSY, G.
- BRESNIHAN, B. *see* HASSAN, J.
- BROUILHET, H. *see* MACH, P.S.
- BROWN, J., WHITTLE, H.C., BERZINS, K., HOWARD, R.J., MARSH, K. & SJOBERG, K. Inhibition of *Plasmodium falciparum* growth by IgG antibody produced by human lymphocytes transformed with Epstein-Barr virus, 135
- BROWNELL, A. *see* MOSS, V.E.
- BROZOVIC, M. *see* MOSS, V.E.
- BUSTUOABAD, O. *see* LEIROS, C.P.
- CAMERON, J.S. *see* FRAMPTON, G.
- VAN CAMP, B. *see* BLOEM, A.C.
- CAMPANA, D. *see* JANOSSY, G.
- CAPRON, M. *see* PRIN, L.
see TAI, P.
- CARBONE, A., PIANTELLI, M., MUSIANI, O., LAROCCA, L.M., REVOLTELLA, R.P. & RANELIETTI, F.O. Expression of 20 α -hydroxysteroid dehydrogenase activity in human lymphoid and non lymphoid cells, 203
- CAROTENUTO, P. *see* PONTESILLI, O.
- CATOVSKY, D. *see* MOSS, V.E.
- CAWLEY, J.C. *see* ARMITAGE, R.J.
- CHAND, M.A. *see* BLOEM, A.C.
- CHASE, H.P. *see* PONTESILLI, O.

- CHRISTIANSEN, F.T. *see* WARLOW, R.S.
 CHU, J.L., GHARAVI, A.E. & ELKON, K.B. Spectrotypic analysis of IgM and rheumatoid factors, 603
 CICLITIRA, P.J., NELUFER, J.M., ELLIS, H.J. & EVANS, D.J. The effect of gluten on HLA-DR in the small intestinal epithelium of patients with coeliac disease, 101
 CLARK, F. *see* JANOSSON, R.
 CLAUVEL, J.P. *see* AUCOUTURIER, P.
 CLEGG, A. *see* REES, R.C.
 CLEVERS, J.C. *see* BLOEM, A.C.
 COHN, D.A. Low immune responses in high androgen responder C57BR/cdj males, 210
 COLON, S. *see* GENIN, C.
 COMMES, T., KLEIN, B., JOURDAN, M. & BATAILLE, R. Production of interleukin 2 in multiple myeloma, 533
 CORBISHLEY, C.M. *see* KIRBY, J.A.
 COSSIO, P. *see* LEIROS, C.P.
 COSTA, O., THCOUATCHA-TCHOUASSOM, J.C., ROUX, B. & MONIER, J.C. Anti-HI histone antibodies in systemic lupus erythematosus: epitope localization after immunoblotting of chymotrypsin-digested HI, 608
 COUDERC, L.J. *see* AUCOUTURIER, P.
 COUPES, B.M. *see* FEEHALLY, J.
 CRAWFORD, D.H. *see* ANDO, I.
 DANON, F. *see* AUCOUTURIER, P.
 DARDENNE, M. *see* KAISERLIAN, D.
 DAVEY, F.R. *see* TICE, D.G.
 DAVIES, T.F. & PLATZER, M. The T cell suppressor defect in autoimmune thyroiditis: evidence for a high set 'autoimmunostat', 73
 DAWKINS, R.L. *see* WARLOW, R.S.
 DE BEER, F.C. *see* SHEPHARD, E.G.
 DEL PRETE, G.F. *see* BIAGIOTTI, R.
 DEMETER, J. *see* KELEMEN, E.
 DENIS, M., FORGET, A., PELLETIER, M., TURCOTTE, R. & SKAMENE, E. Control of the *Bcg* gene of early resistance in mice to infections with BCG sub-strains and atypical mycobacteria, 517
 DEWAR, E. *see* GUY, K.
 DICKMEISS, E. *see* VERDER, H.
 DOCHERTY, L.J.M. *see* GUY, K.
 DWYER, J.M. *see* TSKOLOS, N.D.
 EASTER, J. *see* WAKEFIELD, D.
 EDDLESTON, A.L.W.F. *see* AL-AGHBAR, M.N.A.
 see ALEXANDER, G.J.M.
 see MONDELLI, M.
 see SAXENA, S.
 EK, J. *see* SOLLID, L.M.
 EKELUND, E. *see* WINARSKI, J.
 ELKON, K.B. *see* CHU, J.L.
 ELLIS, H.J. *see* CICLITIRA, P.J.
 EPSTEIN, M.A., RANDLE, B.J., FINERTY, S. & KIRKWOOD, J.K. Not all potentially neutralizing, vaccine-induced antibodies to Epstein-Barr virus ensure protection of susceptible experimental animals, 485
 EVANS, D.J. *see* CICLITIRA, P.J.
 EXON, J.H. *see* KOLLER, L.D.
 FABIO, G. *see* VANOLI, M.
 FAUSA, O. *see* SOLLID, L.M.
 FAVROT, M. *see* JANOSSY, G.
 FEEHALLY, J., BRENCHELY, P.E.C., COUPES, B.M., MALLICK, N.P., MORRIS, D.M. & SHORT, C.D. Impaired IgG response to tetanus toxoid in human membranous nephropathy: association with HLA-DR3, 376
 FEHÉR, J. *see* PERL, A.
 FEIGHERY, C. *see* HASSAN, J.
 FINERTY, S. *see* EPSTEIN, M.A.
 FIORILLI, M. *see* BIAGIOTTI, R.
 FORGET, A. *see* DENIS, M.
 FRAMPTON, G., PERL, S., BENNETT, A. & CAMERON, J.S. Platelet-associated DNA and anti-DNA antibody to systemic lupus erythematosus with nephritis, 621
 FYFE, A. *see* HOLME, E.
 GENIN, C., LAURENT, B., SABATIER, J.C., COLON, S. & BERTHOUS, F.C. IgA mesangial deposits in C3H/HeJ mice after oral immunization with ferritin or bovine serum albumin, 385
 GEORGE, A., RATH, S. & KAMAT, R.S. Differential regulation of effector responses of cell-mediated immunity in experimental Salmonellosis, 327
 GERGELY, P. *see* KELEMEN, E.
 see PERL, A.
 GHARAVI, A.E. *see* CHU, J.L.
 GILMORE, M.J.M.L. *see* JANOSSY, G.
 GIUDIZI, M.G. *see* BIAGIOTTI, R.
 GOFFINET, J. *see* TSKOLOS, N.D.
 GOMBERT, J. *see* AUCOUTURIER, P.
 GONZALEZ-CABELLO, R. *see* PERL, A.
 GOSSET, P. *see* PRIN, L.
 GOUET, D. *see* AUCOUTURIER, P.
 GRAHAM, D. *see* WAKEFIELD, D.
 GRANATO, D.A. & PIGUET, P.F. A mouse monoclonal IgE antibody anti bovine milk β -lactoglobulin allows studies of allergy in the gastrointestinal tract, 703
 GRIFFITHS, P.D. *see* JANOSSY, G.
 GROB, J.-P. *see* JANOSSY, G.
 GRUNDY, J. *see* JANOSSY, G.
 GRZYCZYNSKA, M. *see* KOSOWICZ, J.
 GUNNARSSON, K. *see* TARKOWSKI, A.
 GUY, K., DOCHERTY, L.J.M. & DEWAR, E. Deficient expression of MHC class II antigens in some cases of human B cell leukaemia, 290
 HAAHR, S. *see* VERDER, H.
 HAMILTON, N.C. *see* INMAN, R.D.
 HAMILTON, R. *see* PARANJAPPE, R.S.
 HANLY, J. *see* HASSAN, J.
 HARDING, B. & KNIGHT, S. The distribution of dendritic cells in the synovial fluids of patients with arthritis, 594
 HASSAN, J., HANLY, J., BRESNIHAN, B., FEIGHERY, C. & WHELAN, C.A. The immunological consequences of gold therapy: a prospective study in patients with rheumatoid arthritis, 614
 HASSID, J. *see* KAISERLIAN, D.
 HAUGHTON, G. *see* PISITSKY, D.S.
 HAUPTMANN, G. *see* SCHIFFERLI, J.A.

- HAYWARD, A.R., HERBERGER, M. & LAZLO, M.
Cellular interactions in the lysis of varicella-zoster virus infected human fibroblasts, 141
- HAYWARD, A.R. *see* PONTESILLI, O.
- HEBERT, J. *see* SALARI, H.
- HENDLER, E.D. *see* TSKOLOS, N.D.
- HENNINGSSEN, G.M. *see* KOLLER, L.D.
- HERBERGER, M. *see* HAYWARD, A.R.
- HERBERGER, M.J. *see* PONTESILLI, O.
- HITCHMAN, E. *see* PENNER, E.
- HOCHHAUSER, D.M. *see* INMAN, R.D.
- HOEDEMAEKER, P.H.J. *see* BAGCHUS, W.M.
- HOFFBRAND, A.V. *see* JANOSSY, G.
- HOFFMAN-GOETZ, L. *see* BELL, R.C.
- HOLMDAHL, R. *see* TARKOWSKI, A.
- HOLME, E., FYFE, A., ZOMA, A., VEITCH, J., HUNTER, J. & WHALEY, K. Decreased C3b receptors (CR1) on erythrocytes from patients with systemic lupus erythematosus, 41
- HOLT, P.G. Down-regulation of immune response in the lower respiratory tract: the role of alveolar macrophages, 261
- HORSFALL, A.C., VENABLES, P.J.W., MUMFORD, P.A. & MAINI, R.N. Idiotypes on antibodies to the La (SS-B) antigen are restricted and associated with the antigen binding site, 395
- HOWARD, R.J. *see* BROWN, J.
- HUDSON, L. *see* KIRBY, J.A.
- HUGHES-JONES, N.C. *see* WIENER, E.
- HUNTER, J. *see* HOLME, E.
- HURTEL, B. *see* BRANDLEY, M.
- HUSBY, G. *see* OSTENSEN, M.
- HUSSAIN, R. *see* PARANJAPPE, R.S.
- IHARA, T., ITO, M. & STARR, S.E. Human lymphocyte, monocyte and polymorphonuclear leucocyte mediated antibody-dependent cellular cytotoxicity against varicella-zoster virus infected targets, 179
- IMURA, H. *see* SANO, H.
- INMAN, R.D., HAMILTON, N.C., REDECHA, P.B. & HOCHHAUSER, D.M. Electrophoretic transfer blotting analysis of immune complexes in rheumatoid arthritis, 32
- IRISH, W.T. *see* WIENER, E.
- ISENBERG, D.A., ROWE, D., SHEARER, M., NOVICK, D. & BEVERLEY, P.C.L. Localization of interferons and interleukin 2 in polymyositis and muscular dystrophy, 450
- ITO, M. *see* IHARA, T.
- IVORY, K. *see* JANOSSY, G.
- JACOB, L., TRON, F., LETY, M. & BAGG, J. Idiotypes of monoclonal anti-DNA antibodies produced in autoimmune B/W mice are expressed in normal mice, 402
- JANOSSEN, R., THOMPSON, P.M., CLARK, F. & MCLACHLAN, S.M. Association between thyroid microsomal antibodies of subclass IgG-1 and hypothyroidism in autoimmune postpartum thyroiditis, 80
- JANOSSY, G., PRENTICE, H.G., GROB, J.-P. IVORY, K., TIDMAN, N., GRUNDY, J., FAVROT, M., BRENNER, M.K., CAMPANA, D., BLACKLOCK, H.A., GILMORE, M.J.M.L., PATTERSON, J., GRIFFITHS, P.D. & HOFFBRAND, A.V. T lymphocyte regeneration after transplantation of T cell depleted allogeneic bone marrow, 577
- JONES, T. *see* LEHNER, T.
- JOURDAN, M. *see* COMMES, T.
- KAISERLIAN, D., SAVINO, W., URIEL, J., HASSID, J., DARDENNE, M. & BACH, J. The wasted mutant mouse. II. Immunological abnormalities in a mouse described as a model of ataxia-telangiectasia, 562
- KAMAT, R.S. *see* GEORGE, A.
- KAPPELGAARD, E. *see* VERDER, H.
- KAY, A.B. *see* WALSH, G.M.
- KAY, P.H. *see* WARLOW, R.S.
- KEIR, R. *see* BELL, R.C.
- KELEMEN, E., GERGELY, P., LEHOCZKY, D., TRISKA, E., DEMETER, J. & VARGHA, P. Permanent large granular lymphocytosis in the blood of splenectomized individuals without concomitant increase of *in vitro* natural killer cytotoxicity, 696
- KERR, M.A., WILTON, E., NAAMA, J.K. & WHALEY, K. Circulating immune complexes associated with decreased complement inhibition of immune precipitation in sera from patients with bacterial endocarditis, 359
- KINDAS-MUGGE, I. *see* PENNER, E.
- KIRBY, J.A., PEPPER, J.A., READER, J.A., CORBISHLEY, C.M. & HUDSON, L. Precursor frequency of donor-specific lymphocytes recovered from canine lung transplants, 334
- KIRKWOOD, J.K. *see* EPSTEIN, M.A.
- KLAARESKOG, L. *see* TARKOWSKI, A.
- KLEIN, B. *see* COMMES, T.
- KNIGHT, S.C. *see* HARDING, B.
- KOBAYASHI, S. *see* OKUYAMA, H.
- KOCH, C. *see* VERDER, H.
- KOLBERG, J. *see* SOLLID, L.M.
- KOLLER, L.D., EXON, J.H., TALCOTT, P.A., OSBORNE, C.A. & HENNINGSSEN, G.M. Immune responses in rats supplemented with selenium, 570
- KONDO, H. *see* SOMEYA, A.
- KOSOWICZ, J., GRZYCZYNSKA, M. & BOTTAZZO, G.F. A radioimmunoassay for the detection of adrenal autoantibodies, 671
- KUHN, S.H. *see* SHEPHERD, E.G.
- KULKARNI, S., HATTIKUDUR, S. & KAMAT, R.S. Cell mediated immunity cross-reactions of mycobacteria: polymorphism of target bacterial antigens, 111
- KUMAGI, S. *see* SANO, H.
- KUNA, P. *see* ALAM, R.
- KUSHILEVSKY, A. *see* MANORI, I.
- KUZMINSKA, B. *see* ALAM, R.
- KUZNIERZ, J.P. *see* PRIN, L.
- LAGRANGE, P.H. *see* BRANDLEY, M.
- LAMELIN, J.-P. *see* ROUSSET, F.
- LANELLO, G.L. *see* PASSALEVA, A.
- LÄNG, I. *see* PERL, A.
- LARROCCA, L.M. *see* CARBONE, A.
- LARSSON, A. *see* WAHLGREN, M.
- LASKAY, T. *see* PERL, A.
- LAZLO, M. *see* HAYWARD, A.R.
- LEERBOY, J. *see* VERDER, H.
- LEHNER, T., JONES, T. & AVERY, J. Comparative study of antigen binding T cells separated by *Vicia*

- villosa* or streptococcal antigen and the effect of HLA class II antigens, 312
- LEHOCZKY, D. *see* KELEMEN, E.
- LEINIKKI, P. *see* PASTERNAK, A.
- LEIROS, C.P., STERIN-BORDA, L.C., COSSIO, P., BUS-TUABAD, O. & BORDA, E. Potential role of mononuclear cells infiltration on the autoimmune myocardial dysfunction, 648
- LETY, M. *see* JACOB, L.
- LEVINSKY, R. *see* ANDO, I.
- LIJUNGSTRÖM, I. *see* WAHLGREN, M.
- LOWE, D. *see* ALEXANDER, G.J.M.
- MACE, J. *see* ROCK, G.A.W.
- MACH, P.S., BROUILHET, H. & AMOR, B. The induction of human antinuclear antibodies by D-Penicillamine: activation of inducer helper T cells in the absence of irradiation sensitive suppressor T cells, 408
- MACH, P.S., BROUILHET, H. & AMOR, B. D-Penicillamine: a modulator of anti-DNA antibodies production, 414
- MAEDA, M. *see* SANO, H.
- MAINI, R.N. *see* HORSFALL, A.C.
- MALLICK, N.P. *see* FEEHALLY, J.
- MANORI, I., KUSHILEVSKY, A. & WEINSTEIN, Y. Analysis of interleukin 1 mediated radioprotection, 526
- MANTHORPE, R. *see* PEDERSEN, B.K.
- MARSH, K. *see* BROWN, J.
- MATHERON, S. *see* AUCOUTURIER, P.
- MATSUNAGA, T. *see* OKUYAMA, H.
- MATUTES, E. *see* MOSS, V.E.
- MAZZETTI, M. *see* BIAGIOTTI, R.
- MCCCLUSKEY, J. *see* WARLOW, R.S.
- McLACHLAN, S.M. *see* JANOSSEY, R.
- MENALLY, E.M. *see* RUBIN, R.L.
- MELLANDER, L., CARLSSON, B. & HANSON, L.A. Secretory IgA and IgM antibodies to *E. coli* O and poliovirus type I antigens occur in amniotic fluid, meconium and saliva from newborns (A neonatal immune response without antigenic exposure: a result of anti-idiotypic induction?), 555
- MIEDEMA, F. *see* MOSS, V.E.
- MILLER, J.H. *see* NICOL, M.J.
- MOLLER-LARSEN, A. *see* VERDER, H.
- MONDELLI, M., ALBERTI, A., TREMOLADA, F., WILLIAMS, R., EDDLESTON, A.L.W.F. & REALDI, G. *In vitro* cell-mediated cytotoxicity for autologous liver cells in chronic non-A, non-B hepatitis, 147
- MONDELLI, M. *see* ALEXANDER, G.J.M.
- MONIER, J.C. *see* COSTA, O.
- MORFONI, M. *see* BIAGIOTTI, R.
- MORGAN, G. *see* ANDO, I.
- MORLAND, B. *see* OSTENSEN, M.
- MORRIS, D.M. *see* FEEHALLY, J.
- MOSS, V.E., MIEDEMA, F., MATUTES, E., TERPSTRA, F., BROWNELL, A., BROZOVIC, M. & CATOVSKY, D. An unusual variant of T-CLL: evidence for the existence of a hitherto unrecognized T cell subset, 303
- MUMFORD, P.A. *see* HORSFALL, A.C.
- MURPHY, J. *see* RIDLEY, M.G.
- MUSIANI, P. *see* CARBONE, A.
- MUSTONEN, J. *see* PASTERNAK, A.
- NAAMA, J.K. *see* KERR, M.A.
- NAMIUCHI, S. *see* SANO, H.
- NAUMOV, N.V. *see* ALEXANDER, G.J.M.
- NEALE, T.J. *see* NICOL, T.J.
- NÉKÁM, K. *see* PERL, A.
- NELUFER, J.M. *see* CICLITIRA, P.J.
- NEUBERGER, J. *see* AL-AGHBAR, M.N.A.
- NICHOLAS, N.S. *see* RIDLEY, M.G.
- NICOL, M.J., MILLER, J.H. & NEALE, T.J. Tubular antigen-associated renal disease in New Zealand white rabbits, 629
- NIELSEN, H. *see* VERDER, H.
- NILSSON, L.A. *see* TARKOWSKI, A.
- NOURI-ARIA, K.T. *see* AL-AGHBAR, M.N.A. *see* ALEXANDER, G.J.M. *see* SAXENA, S.
- NOVICK, D. *see* ISENBERG, D.A.
- NUSINOW, S.R. *see* RUBIN, R.L.
- NUTMAN, T.B. *see* PARANJAPPE, R.S.
- OKUYAMA, H., YAMAMOTO, K., MATSUNAGA, T., KOBAYASHI, S. & TASHIRO, A. Analysis of defective delayed-type hypersensitivity in autoimmune mice bearing *lpr* gene, 87
- ONODY, K. *see* PERL, A.
- OSBORNE, C.A. *see* KOLLER, L.D.
- OSTENSEN, M., HUSBY, G. & MØRLAND, B. The effect of normal and rheumatic pregnancy sera on intracellular cathepsin B activity in human monocytes, 434
- OTTESEN, E.A. *see* PARANJAPPE, R.S.
- OXHOLM, P. *see* PEDERSEN, B.K.
- PACCAUD, J.-P. *see* SCHIFFERLI, J.A.
- PANAYI, G.S. *see* RIDLEY, M.G.
- PARANJAPPE, R.S., HUSSAIN, R., NUTMAN, T.B., HAMILTON, R. & OTTESEN, E.A. Identification of circulating parasite antigen in patients with bancroftian filariasis, 508
- PASSALEVA, A., VANNUCCI, F., BONALI, A., LANELLO, G.L., MASSAI, G. & RICCI, M. Autoantibodies to human nuclear antigen(s)—HNA—in connective tissue diseases and other disorders, 17
- PASTERNAK, A., MUSTONEN, J. & LEINIKKI, P. Humoral immune response in patients with IgA and IgM glomerulonephritis, 228
- PATARROY, M.E. *see* WAHLGREN, M.
- PATTERSON, J. *see* JANOSSEY, R.
- PEDERSEN, B.K., OXHOLM, P., MANTHORPE, R. & ANDERSEN, V. Interleukin 2 augmentation of the defective natural killer cell activity in patients with primary Sjögren's syndrome, 1
- PELLETIER, G. *see* SALARI, H.
- PELLETIER, M. *see* DENIS, M.
- PENNER, E., KINDAS-MUGGE, I., HITCHMAN, E. & SAUERMAN, G. Nuclear antigens recognized by antibodies present in liver disease sera, 428
- PENNY, R. *see* WAKEFIELD, D.
- PEPPER, J.R. *see* KIRBY, J.A.
- PERL, A., GONZALEZ-CABELLO, R., LASKAY, T., BENCZUR, M., LÁNG, I., ONÓDY, K., NÉKÁM, K., GERGELY, P. & FEHÉR, J. Lectin-dependent cell-mediated cytotoxicity and blastogenesis by large granular-enriched and depleted lymphocytes, 171
- PERL, S. *see* FRAMPTON, G.

- PERLMANN, H. *see* WAHLGREN, M.
 PHANUPHAK, P. *see* UBOL, S.
 PIANTELLI, M. *see* CARBONE, A.
 PIGUET, P.F. *see* GRANATO, D.A.
 PISITSKY, D.S. *see* HAUGHTON, G. Cyclosporine inhibition of a murine B cell lymphoma, 549
 PLATZ, P. *see* VERDER, H.
 PLATZER, M. *see* DAVIES, T.F.
 PONTESILLI, O., CHASE, H.P., CAROTENUTO, P., HERBERGER, M.J. & HAYWARD, A.R. T-lymphocyte subpopulations in insulin-dependent (type I) diabetes mellitus, 68
 POTTER, C.W. *see* REES, R.C.
 PRENTICE, H.G. & JANOSY, G.
 PREUD'HOMME, J.L. *see* AUCOUTURIER, P.
 PRIN, L., CAPRON, M., GOSSET, P., WALLAERT, B., KUZNIERZ, J.P., BLETRY, O., TONNEL, A.B. & CAPRON, A. Eosinophilic lung disease: immunological studies of blood and alveolar eosinophils, 249
 RAFANELLI, D. *see* BIAGIOTTI, R.
 RANDLE, B.J. *see* EPSTEIN, M.A.
 RANELIETTI, F.O. *see* CARBONE, A.
 RATH, S. *see* GEORGE, A.
 READER, J.R. *see* KIRBY, J.A.
 REALDI, G. *see* MONDELLI, M.
 REDECHA, P.B. *see* INMAN, R.D.
 REES, R.C., VALLELY, P., CLEGG, A. & POTTER, C.W. Suppression of natural and activated human antitumour cytotoxicity by human seminal plasma, 687
 REEVES, W.G. *see* WILSON, R.M.
 REIMER, G. *see* RUBIN, R.L.
 REVOLTELLA, R.P. *see* CARBONE, A.
 RICCI, M. *see* PASSALEVA, A.
 RICHARD, J. *see* SALARI, H.
 RIDLEY, M.G., PANAYI, G.S., NICHOLAS, N.S. & MURPHY, J. Mechanisms of macrophage activation in rheumatoid arthritis: the role of gamma interferon, 587
 ROBINSON, P. *see* WAKEFIELD, D.
 ROMAGNANI, S. *see* BIAGIOTTI, R.
 RONCAROLO, M.G. *see* ROUSSET, F.
 ROOK, G.A.W., STEELE, J., BARNASS, S., MACE, J. & STANFORD, J.L. Responsiveness to live *M. tuberculosis*, and common antigens, of sonicate-stimulated T cell lines from normal donors, 105
 ROUSSET, F., SOUILLET, G., RONCAROLO, M.G. & LAMELIN, J.-P. Studies of EBV-lymphoid cell interactions in two patients with the X-linked lymphoproliferative syndrome: normal EBV-specific HLA-restricted cytotoxicity, 280
 ROUX, B. *see* COSTA, O.
 ROWE, D. *see* ISENBERG, D.A.
 ROZNIACKI, J. *see* ALAM, R.
 RUBIN, R.L., REIMER, G., McNALLY, E.M., NUSINOW, S.R., SEARLES, R.P. & TAN, E.M. Procainamide elicits a selective autoantibody immune response, 58
 RUBIN, K. *see* TARKOWSKI, A.
 SABBADINI, M.G. *see* VANOLI, M.
 SAIMOT, A.G. *see* AUCOUTURIER, P.
 SALARI, H., BORGAT, P., STEFFENRUD, S., RICHARD, J., BEDARD, P.M., HEBERT, J. & PELLETIER, G. Immunological and non-immunological release of leukotrienes and histamine from human nasal polyps, 711
 SANO, H., KUMAGI, S., NAMIUCHI, S., UCHIYAMA, T., YODOI, J., MAEDA, M., TAKATSUKI, K., SUGINOSHITA, T. & IMURA, H. Systemic lupus erythematosus sera antilymphocyte reactivity: detection of antibodies to Tac-antigen positive T cell lines, 8
 SAUERMAN, G. *see* PENNER, E.
 SAVINO, W. *see* KAISERLIAN, D.
 SAXENA, S., NOURI-ARIA, K.T., ANDERSON, M.G., EDDLESTON, A.L.W.F. & WILLIAMS, R. Interleukin 2 activity on chronic liver disease and the effect of *in vitro* α -interferon, 541
 SCHIFFERLI, J.A., STEIGER, G., PACCAUD, J.-P., SJÖHOLM, A.G. & HAUPTMANN, G. Difference in the biological properties of the two forms of the fourth component of human complement (C4), 473
 SCHOT, L.P.C. *see* VERHEUL, H.A.M.
 SCHUURS, A.H.W.M. *see* VERHEUL, H.A.M.
 SCORZA SMERALDI, R. *see* VANOLI, M.
 SCOTT, H. *see* SOLLID, L.M.
 SEARLES, R.P. *see* RUBIN, R.L.
 SHEARER, M. *see* ISENBERG, D.A.
 SHEPARD, E.G., ANDERSON, R., STRACHAN, A.F., KUHN, S.H. & DE BEER, F.C. CRP and neutrophils: functional affects and complex uptake, 718
 SHORT, C.D. *see* FEEHALLY, J.
 SJÖBERG, K. *see* BROWN, J.
 SJÖHOLM, A.G. *see* SCHIFFERLI, J.A.
 SKAMENE, E. *see* DENIS, M.
 SOLLID, L.M., KOLBERG, J., SCOTT, H., EK, J., FAUSA, O. & BRANDTZAEG, P. Antibodies to wheat germ agglutinin in coeliac disease, 95
 SOMEYA, A. & KONDO, H. Human monoclonal anti-nuclear antibodies produced by human-mouse heterohybridomas, 26
 SOUILLET, G. *see* ROUSSET, F.
 SPRY, C.J.F. *see* TAI, P.
 STANFORD, J.L. *see* ROOK, G.A.W.
 STARR, S.E. *see* IHARA, T.
 STEELE, J. *see* ROOK, G.A.W.
 STEFFENRUD, S. *see* SALARI, H.
 STEIGER, G. *see* SCHIFFERLI, J.A.
 STERIN-BORDA, L. *see* LEIROS, C.P.
 STRACHAN, A.F. *see* SHEPARD, E.G.
 SUGINOSHITA, T. *see* SANO, H.
 TAI, P., CAPRON, M., BAKES, D.M., BARKANS, J. & SPRY, C.J.F. Monoclonal antibodies to human eosinophil plasma membrane antigens enhance the secretion of eosinophil cationic protein, 728
 TAKATSUKI, K. *see* SANO, H.
 TALCOTT, P.A. *see* KOLLER, L.D.
 TAN, E.M. *see* RUBIN, R.L.
 TARKOWSKI, A., HOLMDAHL, R., RUBIN, K., KLAESKOG, L., NILSSON, L.A. & GUNARSSON, K. Patterns of autoreactivity to collagen type II in autoimmune MRL/l mice, 441
 TASHIRO, T. *see* OKUYAMA, H.
 TCHOUATCHA-TCHOUASSOM, J.C. *see* COSTA, O.
 TERPSTRA, F. *see* MOSS, V.E.
 THEOHARIDES, Th.C. *see* TSKOLOS, N.D.
 THOMPSON, P.M. *see* JANOSY, G.

- TICE, D.G. & DAVEY, F.R. T lymphocyte colonies are the progeny of single cells, 321
- TIDMAN, N. *see* JANOSSY, G.
- TILZ, G.P. Letter to the Editor: Some side effects of intravenous 7S-immunoglobulins are due to immune complexes and can be prevented by 5S-immunoglobulin treatment given prior to 7S treatment, 258
- TONNEL, A.B. *see* PRIN, L.
- TREMOLADA, F. *see* MONDELLI, M.
- TRISKA, E. *see* KELEMEN, E.
- TRON, F. *see* JACOB, L.
- TSKOLOS, N.D., THEOHARIDES, TH.C., HENDLER, E.D., GOFFINET, J., DWYER, J.M., WHISLER, R.L. & ASKENASE, P.W. Immune defects in chronic renal impairment: evidence for defective regulation of lymphocyte response by macrophages from patients with chronic renal impairment of haemodialysis, 218
- TURCOTTE, R. *see* DENIS, M.
- UBOL, S. & PHANUPHAK, P. An effective economical intradermal regimen of human diploid cell rabies vaccination for post-exposure treatment, 491
- UCHIYAMA, T. *see* SANO, H.
- UKO, G. *see* WARLOW, R.S.
- URIEL, J. *see* KAISERLIAN, D.
- VALLELY, P. *see* REES, R.C.
- VANNUCCI, F. *see* PASSALEVA, A.
- VANOLI, M., SCORZA SMERALDI, R., FABIO, G., BONARO, P. & SABBADINI, M.G. AMLR and MLR stimulating activity of human T lymphocytes activated *in vitro* by soluble HLA-DR antigens, 163
- VARGHA, P. *see* KELEMEN, E.
- VEITCH, J. *see* HOLME, E.
- VENABLES, P.J.W. *see* HORSFALL, A.C.
- VERDER, H., DICKMEISS, E., HAAHR, S., KAPPELGAARD, E., LEERBOY, J., MÖLLER-LARSEN, A., NIELSEN, H., PLATZ, P. & KOCH, C. Late-onset rubella syndrome: coexistence of immune complex disease and defective cytotoxic effector cell function, 367
- VERGANI, D. *see* ALEXANDER, G.J.M.
- VERHEUL, H.A.M., SCHOT, L.P.C. & SCHUURS, A.H.W.M. Effect of sex gonadectomy and several steroids on the development of insulin-dependent diabetes mellitus in the BB rat, 656
- VOS, J.T.W.M. *see* BAGCHUS, W.M.
- WAHLGREN, M., PERLMANN, H., BERZINS, K., BJÖRKMAN, A., LARSSON, Å., LJUNGSTRÖM, I., PATARROY, M.E. & PERLMANN, P. Characterization of the humoral immune response in *Plasmodium falciparum* malaria. III. Factors influencing coexpression of antibody isotypes (IgM and IgG-1 to 4), 343
- WAKEFIELD, D., EASTER, J., ROBINSON, P., GRAHAM, D. & PENNY, R. Chlamydial antibody cross-reactivity with peripheral blood mononuclear cells of patients with ankylosing spondylitis: the role of HLA B27, 49
- WALLAERT, B. *see* PRIN, L.
- WALSH, G.M. & KAY, A.B. Binding of immunoglobulin classes and subclass to human neutrophils and eosinophils, 466
- WARLOW, R.S., UKO, G., MCCLUSKEY, J., KAY, P.H., CHRISTIANSEN, F.T. & DAWKINS, R.L. Extractable nuclear antigen (ENA) autoantibodies in SLE: an immunogenetic relationship with HLA, C4 and Bf alleles, 419
- WEINSTEIN, Y. *see* MANORI, I.
- WHALEY, K. *see* HOLME, E.
see KERR, M.A.
- WHELAN, C.A. *see* HASSAN, J.
- WHISLER, R.L. *see* TSKOLOS, N.D.
- WHITTLE, H.C. *see* BROWN, J.
- WICKRAMASINGHE, S.N. *see* WIENER, E.
- WIENER, E., HUGHES-JONES, N.C., IRISH, W.T. & WICKRAMASINGHE, S.N. Elution of antispectrin antibodies from red cells in homozygous β -thalassaemia, 680
- WILLIAMS, R. *see* AL-AGHBAR, M.N.A.
see ALEXANDER, G.J.M.
see MONDELLI, M.
see SAXENA, S.
- WILSON, R.M. & REEVES, W.G. Neutrophil phagocytosis and killing in insulin-dependent diabetes, 478
- WILTON, E. *see* KERR, M.A.
- WINARSKI, J. & EKELUND, E. Antibody binding to platelet antigens in acute and chronic idiopathic thrombocytopenic purpura: a platelet membrane ELISA for the detection of antiplatelet antibodies in serum, 459
- YAMAMOTO, K. *see* OKUYAMA, H.
- YODOI, J. *see* SANO, H.
- ZOMA, A. *see* HOLME, E.

SUBJECT INDEX

- Acquired immune deficiency syndrome, 234
- Activated lymphocyte killer cells, 280
- Addison's disease, 671
- Aldose reductase, 478
- Allogeneic mixed lymphocyte reaction, 163
- Alveolar macrophages, 261
- Anaphylaxis, 705
- Androgens, 210
- Ankylosing spondylitis, 49
- Anterior uveitis, 49
- Antibodies
 - anti-DNA, 402, 414
 - anti-dsDNA, 621
 - anti-H1 histone
 - anti-La (SS-B), 395
 - anti-lymphocyte, 8
 - anti-Tac, 8
 - antinuclear, 17, 408
 - antispectrin, 680
 - crossreactivity, 49
 - human monoclonal antinuclear, 26
 - IgG, 135
 - nephritogenic, 639
 - neutralizing, 485
 - nuclear, 428
 - pneumococcal, 127
 - thyroid microsomal (Mic), 80
- Antibody-dependent cellular cytotoxicity, 179
- Antigen
 - binding T cells, 312
 - circulating, 508
 - E. coli* O, 555
 - human nuclear, 17
 - membrane, 728
 - parasite, 508
 - platelet, 459
 - poliovirus type I, 555
 - virus membrane, 485
- Antidiotype, 555
- Antimicrobial resistance, 118
- Arthritis, 441, 594
- Asthma, 241
- Ataxia-telangiectasia, 562
- Autoantibodies, 8, 395
 - adrenal, 671
 - thyroid, 73
- Autoimmune disorders, 601
- Autoimmune myocarditis, 648
- Autoimmunity, 17, 441
- Autologous mixed lymphocyte reaction, 163

- B cell leukaemia, 188, 298
- B cell lymphoma, 549
- B cells, 271, 298
- B lymphocyte culture, 135
- BB rat, 656
- BCG substrains, 517
- Bacterial antigens, 241
- Bacterial endocarditis, 359
- Basophils, 241
- Bcg* gene, 517
- Bronchoalveolar lavage, 249, 334

- C-reactive protein, 718
- C3b receptors, 41
- Cancer, 570
- Candida albicans* killing, 478
- Cathepsin B, 434
- Cell-mediated cytotoxicity, 147, 491
 - lectin dependent, 171
- Cell-mediated immunity, 327
- Chlamydia trachomatis*, 49
- Chromosomal protein, 26
- Chronic liver disease, 541
- Chronic renal impairment, 218
- CM1 cross reactions, 111
- Celiac disease, 95, 101
- Collagen type II, 441
- Complement fixation, 671
- Complement, 359
- Connective tissue diseases, 17
- Cottontop tamarins, 485
- Cyclosporin A, 141, 549
- Cytophilic IgE, 249
- Cytotoxic cell function, 367

- DNA receptors, 623
- Delayed-type hypersensitivity, 87, 118, 327
- Dendritic cells, 594
- Diabetes, 478
 - mellitus, 68, 656
- Differentiation, 290
- Dogs, 334

- Electrophoretic transfer blotting, 32
- Enzyme-linked immunosorbent assay, 80, 95, 334, 459
- Eosinophil, 466, 728
 - cationic protein, 730
 - heterogeneity, 249
- Eosinophilic lung disease, 249
- Epstein-Barr virus, 135, 271, 280, 485
- Erythrocytes, 680
- Experimental IgA nephropathy, 385
- Extractable nuclear antigen, 419

- α -Fetoprotein, 562
- Fibroblasts, 141
- Filiariasis, 508

- Genetic markers, 419
- Gliadin, 101
- Glomerulonephritis, 228, 631
- Glomerulopathy, 639
- Gluten, 101
- Glycoprotein (gp340), 485
- Gold therapy, 614
- Graft versus host disease, 577
- Graves' disease, 73
- Growth inhibition, 135

- H1 chymotrypsin-digested, 608
- HTLV-III virus, 354
- Haematocrit, 210
- Haemodialysis, 218

- Haemophilia, 354
 Hashimoto's disease, 73
 Hepatitis
 B chronic, 498
 non-A, non-B, 147
 Hepatocytes, 147
 Herpes virus, 141
 Heterohybridomas, 26
 Heymann nephritis, 639
 Histamine, 713
 HLA class II antigens, 312
 HLA-DR, 101, 163, 376
 HLA-restricted cytotoxicity, 280
 Histamine, 713
 releasing factor, 241
 Human monocytes, 434
 Humoral immune response, 228
 Hydroxy 20 α -hydroxysteroid dehydrogenase, 203
 β -Hydroxybutyrate, 478

 Idiotype, 395, 402
 Ig synthesis *in vitro*, 354
 IgA
 glomerulonephritis, 228
 high responder, 385
 rheumatoid factors, 601
 secretory, 557
 IgE, 466
 IgG subclass, 127, 234, 334, 376
 IgM glomerulonephritis, 228
 rheumatoid factor, 603
 Immune
 complex disease, 367
 complexes, 32, 258, 359
 impairment, 218
 response down-regulation, 261
 Immunization, 385, 491
 Immunoblotting, 26, 428, 608
 Immunofluorescence, 101, 334
 Immunoglobulin
 classes, 466
 production, 156, 663
 synthesis, 614
 7S & 5S, 258
 Immunoperoxidase, 101
 Immunosuppression, 549
 Infectious mononucleosis, 271
 Interferon, 450, 687
 α -Interferon, 541
 γ -Interferon, 587
 Interleukin 1, 194, 526
 Interleukin 2, 1, 298, 450, 526, 533, 541, 687
 receptor, 8

 Juvenile chronic arthritis, 594

 K cell function, 303

 β -Lactoglobulin, 705
 Large granular lymphocytes, 171, 696
 Late-onset rubella syndrome, 367
 Lectin-dependent cell mediated cytotoxicity, 171
 Lectins, 95
 Leukaemia, 188, 290, 298, 303
 Leukaemic cells, 203
 Leukotrienes, 713

 Lipoxygenase, 648
Listeria monocytogenes, 118
 Liver disease, 428
 Low density lipoprotein, 718
Lpr gene, 87
 Lung transplantation, 334
 Lymphadenopathy syndrome, 234
 Lymphocyte, 210
 clones, 321
 cytolytic, 334
 proliferation, 171
 synovial fluid, 587
 Lymphopoiesis, 321

 Macrophage activation, 587
 Malaria, 135, 334
 Membranous nephropathy, 376
 MHC class II antigens, 290
 Mice
 autoimmune B/W, 402
 B6/lpr, 87
 C57BR/cdj males, 210
 C3H/HeJ, 385
 MRL/l, 441
 MRL/lpr, 87
 Micro-ELISA, 608
 Migration inhibition factor, 87
 Mitogen stimulation, 156
 Monoclonal antibodies, 68, 402, 728
 anti-Tac, 298
 IgE, 705
 Mononuclear cells, 648
 Mouse wasted mutant, 562
 Multiple myeloma, 533
 Mumps virus, 228
 Muscular dystrophy, 450
 Mycobacteria
 atypical, 517
 antigens, 111
 Mycobacterium bovis, 118
 Mycobacterium tuberculosis, 105

 Nasal polyps, 713
 Natural killer
 cells, 1, 141, 280, 570, 696
 cytotoxicity, 687, 696
 Natural resistance, 517
 Neonate, 555
 Neutrophil phagocytosis, 478
 Neutrophils, 466, 718
 Nuclear dots, 26

 Osteoarthritis, 594

 D-Penicillamine, 408, 414
 Peripheral blood mononuclear cells, 49
Plasmodium falciparum, 135, 334
 Platelets, 623
 Pneumococcal polysaccharide, 127, 718
 Polymorphism, 111
 Polymyositis, 450
 Polyps, 713
 Prednisolone, 663
 Pregnancy serum, 434
 Primary biliary cirrhosis, 663
 Procainamide-induced autoantibodies, 58

- Prostaglandin E₂, 194
Protein malnutrition, 194
- Rabbits, New Zealand White, 629
Rabies vaccine, 491
Radioimmunoassay, 671
Radioprotection, 526
Receptors, 466
Renal disease, 629
Respiratory tract, 261
Rheumatoid arthritis, 32, 587, 594, 601, 614
- Salmonella enteritidis*, 327
Salmonellosis (experimental), 327
Selenium, 572
Semi-agar culture, 321
Seminal plasma, 687
Serum immunoglobulins, 234
Sex steroids, 656
Sjögren's syndrome, 1, 395
Spectrotypes, 601
Splenectomy, 696
SRS-A cyclooxygenase, 648
Suppressor cell function, 491
Suppressor factor secretion, 188
Suramin, 118
Synovial fluid, 594
Systemic lupus erythematosus, 8, 41, 402, 408, 414, 419, 608, 621
- T cell, 73, 188, 271
 human suppressor, 163
 lines, 105
 mitogenesis, 194
 subsets, 354
T cell chronic lymphocytic leukaemia, 303
T lymphocyte, 303
 colonies, 321
 depleted bone marrow transplants, 577
 human, 203
 regeneration, 577
 subsets, 68
Tetanus toxoid, 376
 β -Thalassaemia, 680
Thrombocytopenic purpura, 459
Thymocytes, 526
Thyroiditis, 73, 80
Transplants (bone marrow), 577
Tuberculosis, 105
Tubular antigen, 629
- Vaccination, 491
Varicella zoster virus, 141, 179
Vicia villosa, 312
- Waldenström's macroglobulinaemia, 156
Wheat germ agglutinin, 95
- X-linked lymphoproliferative syndrome, 271, 280



CLINICAL AND EXPERIMENTAL IMMUNOLOGY

AN OFFICIAL JOURNAL OF THE
BRITISH SOCIETY FOR IMMUNOLOGY

Editor

J. L. TURK

Editorial Board

| | | |
|---------------------|-----------------|-------------------------|
| B. ALBINI | A. HAMBLIN | D. M. V. PARROTT |
| G. L. ASHERSON | P. HASLAM | P. Y. PATERSON |
| K. F. AUSTEN | G. HOLM | M. PEPYS |
| J. F. BACH | G. JANOSSY | A. J. PINCHNG |
| R. W. BALDWIN | R. JEFFERIS | T. A. E. PLATTS-MILLS |
| R. ST. C. BARNETSON | S. KATZ | L. POULTER |
| J. R. BATCHELOR | A. B. KAY | M. REICHLIN |
| M. C. BERENBAUM | S. KNIGHT | J. F. SOOTHILL |
| G. F. BOTTAZZO | T. LEHNER | C. SPRY |
| J. BROSTOFF | R. J. LEVINSKY | M. STEWARD |
| D. L. BROWN | N. R. LING | G. A. T. TARGETT |
| D. CATOVSKY | P. M. LYDYARD | R. A. THOMPSON |
| A. J. DAVIES | R. N. MAINI | R. VAN FURTH |
| A. M. DENMAN | C. A. MIMS | A. VOLLER |
| J. M. DWYER | J. MOWBRAY | M. H. WANSBOROUGH-JONES |
| T. FEIZI | J. NEWSOM-DAVIS | A. D. B. WEBSTER |
| A. FERGUSON | G. PANAYI | P. C. WILKINSON |
| | W. E. PARISH | R. WILLIAMS |

VOLUME 63

Pages 1-748

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH BOSTON PALO ALTO MELBOURNE

1986

© 1986 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Mass. 02108, USA
706 Cowper Street, Palo Alto, Calif. 94301, USA
99 Barry Street, Carlton, Victoria 3052, Australia

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owner.

CONTENTS

VOLUME 63 · NUMBER 1 · JANUARY 1986

| | |
|--|-----|
| BENTE K. PEDERSEN, P. OXHOLM, R. MANTHORPE & V. ANDERSEN: Interleukin 2 augmentation of the defective natural killer cell activity in patients with primary Sjögrens syndrome | 1 |
| H. SANO, S. KUMAGI, S. NAMIUCHI, T. UCHIYAMA, J. YODOI, M. MAEDA, K. TAKATSUKI, T. SUGINOSHITA & H. IMURA: Systemic lupus erythematosus sera antilymphocyte reactivity: detection of antibodies to Tac-antigen positive T cell lines | 8 |
| A. PASSALEVA, F. VANNUCCI, ANTONELLA BONALI, G. L. IANELLO, GRAZIELLA MASSAI & M. RICCI: Autoantibodies to human nuclear antigen(s)—HNA—in connective tissue diseases and other disorders | 17 |
| AKIRA SOMEYA & HIROBUMI KONDO: Human monoclonal anti-nuclear antibodies produced by human-mouse heterohybridomas | 26 |
| R. D. INMAN, NANCY C. HAMILTON, PATRICIA B. REDECHA & D. M. HOCHHAUSER: Electrophoretic transfer blotting analysis of immune complexes in rheumatoid arthritis | 32 |
| ELIZABETH HOLME, ANNE FYFE, A. ZOMA, JEAN VEITCH, J. HUNTER & K. WHALEY: Decreased C3b receptors (CR1) on erythrocytes from patients with systemic lupus erythematosus | 41 |
| D. V. FIELD, JOAN EASTER, P. ROBINSON, DORIS GRAHAM & R. PENNY: Chlamydial antibody crossreactivity with peripheral blood mononuclear cells of patients with ankylosing spondylitis: the role of HLA B27 | 49 |
| R. L. RUBIN, G. REIMER, E. M. McNALLY, S. R. NUSINOW, R. P. SEARLES & E. M. TAN: Procainamide elicits a selective autoantibody immune response | 58 |
| O. PONTESILLI, H. P. CHASE, PATRIZIA CAROTENUTO, M. J. HERBERGER & A. R. HAYWARD: T-lymphocyte subpopulations in insulin-dependent (type I) diabetes mellitus | 68 |
| T. F. DAVIES & M. PLATZER: The T cell suppressor defect in autoimmune thyroiditis: evidence for a high set 'autoimmunostat' | 73 |
| ROLF JANOSSEN, PHILIPPA M. THOMPSON, F. CLARK & SANDRA M. McLACHLAN: Association between thyroid microsomal antibodies of subclass IgG-1 and hypothyroidism in autoimmune postpartum thyroiditis | 80 |
| HARUE OKUYAMA, K. YAMAMOTO, T. MATSUNAGA, S. KOBAYASHI & AKIKO TASHIRO: Analysis of defective delayed-type hypersensitivity in autoimmune mice bearing <i>lpr</i> gene | 87 |
| L. M. SOLLID, J. KOLBERG, H. SCOTT, J. EK, O. FAUSA & P. BRANDTZAEG: Antibodies to wheat germ agglutinin in coeliac disease | 95 |
| P. J. CICLITIRA, J. M. NELUFER, H. J. ELLIS & D. J. EVANS: The effect of gluten on HLA-DR in the small intestinal epithelium of patients with coeliac disease | 101 |
| G. A. W. ROOK, JENNY STEELE, STELLA BARNASS, JENNY MACE & J. L. STANFORD: Responsiveness to live <i>M. tuberculosis</i> , and common antigens, of sonicate-stimulated T cell lines from normal donors | 105 |
| SWATI KULKARNI, SANDHYA HATTIKUDUR & R. S. KAMAT: Cell mediated immunity cross-reactions of mycobacteria: polymorphism of target bacterial antigens | 111 |
| MAUD BRANDELY, P. H. LAGRANGE & B. HURTEL: Effects of suramin on the <i>in vivo</i> antimicrobial resistance against <i>Listeria monocytogenes</i> and <i>Mycobacterium bovis</i> (BCG) in mice | 118 |
| D. J. BARRETT & E. M. AYOUB: IgG2 subclass restriction of antibody to pneumococcal polysaccharides | 127 |
| J. BROWN, H. C. WHITTLE, K. BERZINS, R. J. HOWARD, K. MARSH & K. SJOBERG: Inhibition of <i>Plasmodium falciparum</i> growth by IgG antibody produced by human lymphocyte transformed with Epstein-Barr virus | 135 |
| A. R. HAYWARD, M. HERBERGER & M. LAZLO: Cellular interactions in the lysis of varicella-zoster virus infected human fibroblasts | 141 |
| M. MONDELLI, A. ALBERTI, F. TREMOLADA, R. WILLIAMS, A. L. W. F. EDDLESTON & G. REALDI: <i>In vitro</i> cell-mediated cytotoxicity for autologous liver cells in chronic non-A, non-B hepatitis | 147 |

| | |
|--|-----|
| A. C. BLOEM, M. A. CHAND, B. VAN CAMP, E. J. E. G. BAST & R. E. BALLIEUX: Mitogenic stimulation of malignant B cells Waldenström's macroglobulinaemia: secretion of monoclonal IgM by <i>in vitro</i> -induced plasmablasts | 156 |
| M. VANOLI, R. SCORZA SMERLADI, G. FABIO, P. BONARO, M. G. SABBADINI: AMLR and MLR stimulating activity of human T lymphocytes activated <i>in vitro</i> by soluble HLA-DR antigens | 163 |
| A. PERL, R. GONZALEZ-CABELLO, T. LASKAY, M. BENCZUR, I. LÁNG, KLÁRA ONÓDY, K. NÉKÁM, P. GERGELY & J. FEHÉR: Lectin-dependent cell-mediated cytotoxicity and blastogenesis by large granular-enriched and depleted thymocytes | 171 |
| T. IHARA, M. ITO & S. E. STARR: Human lymphocyte, monocyte and polymorphonuclear leucocyte mediated antibody-dependent cellular cytotoxicity against varicella-zoster virus infected targets | 179 |
| A. C. BLOEM, J. C. CLEVERS, E. J. E. G. BAST & R. E. BALLIEUX: T cells in B cell chronic lymphocytic leukaemia. I. Decreased frequency of T lymphocytes secreting suppressor factor | 188 |
| R. C. BELL, L. HOFFMAN-GOETZ & R. KEIR: Monocyte factors modulate <i>in vitro</i> T-lymphocyte mitogenesis in protein malnutrition | 194 |
| A. CARBONE, M. PIANTELLI, P. MUSIANI, L. M. LARROCCA, R. P. REVOLTELLA & F. O. RANELLETTI: Expression of 20 α -hydroxysteroid dehydrogenase activity in human lymphoid and non lymphoid cells | 203 |
| DEIRDRE A. COHN: Low immune responses in high androgen responder C57BR/cdj males | 210 |
| N. D. TSKOLOS, TH. C. THEOHARIDES, E. D. HENDLER, J. GOFFINET, J. M. DWYER, R. L. WHISLER & P. W. ASKENASE: Immune defects in chronic renal impairment: evidence for defective regulation of lymphocyte response by macrophages from patients with chronic renal impairment on haemodialysis | 218 |
| A. PASTERNAK, J. MUSTONEN & P. LEINIKKI: Humoral immune response in patients with IgA and IgM glomerulonephritis | 228 |
| P. AUROUTURIER, L. J. COUDERC, D. GOUET, FRANCOISE DANON, J. GOMBERT, SOPHIE MATHERON, A. G. SAIMOT, J. P. CLAUVEL & J. L. PREUD'HOMME: Serum immunoglobulin G subclass dysbalances in the lymphadenopathy syndrome and acquired immune deficiency syndrome | 234 |
| RAFEUL ALAM, PIOTR KUNA, JERZY ROZNIECKI & BEATA KUZMINSKA: Bacterial antigens stimulate the production of histamine releasing factor (HRF) by lymphocytes from intrinsic asthmatic patients | 241 |
| L. PRIN, M. CAPRON, P. GOSSET, B. WALLAERT, J. P. KUZNIERZ, O. BLETRY, A. B. TONNEL & A. CAPRON: Eosinophilic lung disease: immunological studies of blood and alveolar eosinophils | 249 |
| Letter to the Editor | |
| G. P. TILZ: Some side effects of intravenous 7S-immunoglobulins are due to immune complexes and can be prevented by 5S-immunoglobulin treatment given prior to 7S treatment | 258 |
| ANNOUNCEMENTS | 260 |

VOLUME 63 · NUMBER 2 · FEBRUARY 1986

REVIEW

| | |
|---|-----|
| P. G. HOLT: Down-regulation of immune response in the lower respiratory tract: the role of alveolar macrophages | 261 |
| I. ANDO, G. MORGAN, R. LEVINSKY & DOROTHY H. CRAWFORD: A family study of the X-linked lymphoproliferative syndrome: evidence for a B cell defect contributing to the immunodeficiency | 271 |

| | |
|--|-----|
| FRANCOISE ROUSSET, G. SOUILLET, MARIA G. RONCAROLO & J.-P. LAMELIN: Studies of EBV-lymphoid cell interactions in two patients with the X-linked lymphoproliferative syndrome: normal EBV-specific HLA-restricted cytotoxicity | 280 |
| K. GUY, LINDA J. M. DOCHERTY & EDNA DEWAR: Deficient expression of MHC class II antigens in some cases of human B cell leukaemia | 290 |
| R. J. ARMITAGE & J. C. CAWLEY: Normal and certain leukaemic B cells express IL-2 receptors without <i>in vitro</i> activation | 298 |
| VIVIANNE E. MOSS, F. MIEDEMA, ESTELA MATUTES, F. TERPSTRA, ALISON BROWNELL, MISHA BROZOVIC & D. CATOVSKY: An unusual variant of T-CLL: evidence for the existence of a hitherto unrecognized T cell subset | 303 |
| T. LEHNER, TINA JONES & JANET AVERY: Comparative study of antigen binding T cells separated by <i>Vicia villosa</i> or streptococcal antigen and the effect of HLA class II antigens | 312 |
| DIANE G. TICE & F. R. DAVEY: T lymphocyte colonies are the progeny of single cells | 321 |
| ANN GEORGE, S. RATH & R. S. KAMAT: Differential regulation of effector responses of cell mediated immunity in experimental Salmonellosis | 327 |
| J. A. KIRBY, J. R. PEPPER, J. A. READER, C. M. CORBISHLEY & L. HUDSON: Precursor frequency of donor-specific lymphocytes recovered from canine lung transplants | 334 |
| M. WAHLGREN, HEDVIG PERLMANN, K. BERZINS, A. BJÖRKMAN, Å. LARSSON, INGER LJUNGSTRÖM, M. E. PATARROY & P. PERLMANN: Characterization of the humoral immune response in <i>Plasmodium falciparum</i> malaria. III. Factors influencing the coexpression of antibody isotypes (IgM and IgG-1 to 4) | 343 |
| R. BIAGIOTTI, M. G. GIUDIZI, F. ALMERIGOGNA, M. MAZZETTI, A. ALESSI, G. F. DEL PRETE, D. RAFANELLI, M. FIORILLI, M. MORFINI & S. ROMAGNANI: Abnormalities of <i>in vitro</i> immunoglobulin production in apparently healthy haemophiliacs: relationship with alterations of T cell subsets and with HTLV-III seropositivity | 354 |
| M. A. KERR, E. WILTON, J. K. NAAMA & K. WHALEY: Circulating immune complexes associated with decreased complement inhibition of immune precipitation in sera from patients with bacterial endocarditis | 359 |
| H. VERDER, E. DICKMEISS, S. HAAHR, ELLEN KAPPELGAARD, J. LEERBOY, ANNÉ MØLLER-LARSEN, H. NIELSEN, P. PLATZ & C. KOCH: Late-onset rubella syndrome: coexistence of immune complex disease and defective cytotoxic effector cell function | 367 |
| J. FEEHALLY, P. E. C. BRENCHELEY, BEATRICE M. COUPES, N. P. MALLICK, DEBBIE M. MORRIS, C. D. SHORT: Impaired IgG response to tetanus toxoid in human membranous nephropathy: association with HLA-DR3 | 376 |
| C. GENIN, B. LAURENT, J. C. SABATIER, S. COLON & F. C. BERTHOUX: IgA mesangial deposits in C3H/HeJ mice after oral immunization with ferritin or bovine serum albumin | 385 |
| ANGELA C. HORSFALL, P. J. W. VENABLES, PATRICIA A. MUMFORD & R. N. MAINI: Idiotypes on antibodies to the La (SS-B) antigen are restricted and associated with the antigen binding site | 395 |
| LAURENT JACOB, FRANÇOIS TRON, MARIE-ANNICK LETY & JEAN-FRANÇOIS BACG: Idiotypes of monoclonal anti-DNA antibodies produced in autoimmune B/W mice are expressed in normal mice | 402 |
| P. S. MACH, H. BROUILHET & B. AMOR: The induction of human antinuclear antibodies by D-Penicillamine: activation of inducer helper T cells in the absence of irradiation sensitive suppressor T cells | 408 |
| P. S. MACH, H. BROUILHET & B. AMOR: D-Penicillamine: a modulator of anti-DNA antibodies production | 414 |
| R. S. WARLOW, GABRIEL UKO, J. MCCLUSKEY, P. H. KAY, F. T. CHRISTIANSEN & R. L. DAWKINS: Extractable nuclear antigen (ENA) autoantibodies in SLE: an immunogenetic relationship with HLA, C4 and Bf alleles | 419 |
| E. PENNER, INGELA KINDAS-MÜGGE, EVA HITCHMAN & G. SAUERMAN: Nuclear antigens recognized by antibodies present in liver disease sera | 428 |
| MONIKA ØSTENSEN, GUNNAR HUSBY & BERIT MØRLAND: The effect of normal and rheumatic pregnancy sera on intracellular cathepsin B activity in human monocytes | 434 |

| | |
|---|-----|
| A. TARKOWSKI, R. HOLMDAHL, K. RUBIN, L. KLARESKOG, L. Å. NILSSON & K. GUNNARSSON: Patterns of autoreactivity to collagen type II in autoimmune MRL/1 mice | 441 |
| D. A. ISENBERG, D. ROWE, M. SHEARER, D. NOVICK & P. C. L. BEVERLEY: Localization of interferons and interleukin 2 in polymyositis and muscular dystrophy | 450 |
| J. WINARSKI & ELSIE EKLUND: Antibody binding to platelet antigens in acute and chronic idiopathic thrombocytopenic purpura: a platelet membrane ELISA for the detection of antiplatelet antibodies in serum | 459 |
| G. M. WALSH & A. B. KAY: Binding of immunoglobulin classes and subclass to human neutrophils and eosinophils | 466 |
| J. A. SCHIFFERLI, GERTRAUD STEIGER, J.-P. PACCAUD, A. G. SJÖHOLM & G. HAUPTMANN: Difference in the biological properties of the two forms of the fourth component of human complement (C4) | 473 |
| R. M. WILSON & W. G. REEVES: Neutrophil phagocytosis and killing in insulin-dependent diabetes | 478 |

VOLUME 63 · NUMBER 3 · MARCH 1986

| | |
|---|-----|
| M. A. EPSTEIN, B. J. RANDLE, S. FINERTY & J. K. KIRKWOOD: Not all potentially neutralizing, vaccine-induced antibodies to Epstein-Barr virus ensure protection of susceptible experimental animals | 485 |
| SUKATHIDA UBOL & PRAPHAN PHANUPHAK: An effective economical intradermal regimen of human diploid cell rabies vaccination for post-exposure treatment | 491 |
| G. J. M. ALEXANDER, M. MONDELLI, N. V. NAUMOV, KAYHANT T. NOURI-ARIA, D. VERGANI, D. LOWE, A. L. W. F. EDDLESTON & R. WILLIAMS: Functional characterization of peripheral blood lymphocytes in chronic HBsAg carriers | 498 |
| R. S. PARANJPE, RABIA HUSSAIN, T. B. NUTMAN, R. HAMILTON & E. A. OTTESEN: Identification of circulating parasite antigen in patients with bancroftian filariasis | 508 |
| M. DENIS, A. FORGET, MICHELINE PELLETIER, R. TURCOTTE & E. SKAMENE: Control of the <i>Bcg</i> gene of early resistance in mice to infections with BCG substrains and atypical mycobacteria | 517 |
| I. MANORI, A. KUSHILEVSKY & Y. WEINSTEIN: Analysis of interleukin 1 mediated radioprotection | 526 |
| THERÈSE COMMES, B. KLEIN, M. JOURDAN & R. BATAILLE: Production of interleukin 2 in multiple myeloma | 533 |
| SANTOSH SAXENA, KAYHAN T. NOURI-ARIA, M. G. ANDERSON, A. L. W. F. EDDLESTON & R. WILLIAMS: Interleukin 2 activity on chronic liver disease and the effect of <i>in vitro</i> α -interferon | 541 |
| D. S. PISETSKY & G. HAUGHTON: Cyclosporine inhibition of a murine B cell lymphoma | 549 |
| LOTTA MELLANDER, BARBRO CARLSSON & L. Å. HANSON: Secretory IgA and IgM antibodies to <i>E. coli</i> O and poliovirus type I antigens occur in amniotic fluid, meconium and saliva from newborns (A neonatal immune response without antigenic exposure: a result of anti-idiotypic induction ?) | 555 |
| DOMINIQUE KAISERLIAN, WILSON SAVINO, JOSE URIEL, JACQUELINE HASSID, MIRIELLE DARDENNE & JEAN-FRANÇOIS BACH: The wasted mutant mouse. II. Immunological abnormalities in a mouse described as a model of ataxia-telangiectasia | 562 |
| LOREN D. KOLLER, J. H. EXON, PATRICIA A. TALCOTT, CONNIE A. OSBORNE & G. M. HENNINGSEN: Immune responses in rats supplemented with selenium | 570 |
| G. JANOSSY, H. G. PRENTICE, J.-P. GROB, KAMAL IVORY, N. TIDMAN, JANE GRUNDY, MARIE FAVROT, M. K. BRENNER, D. CAMPANA, HILARY A. BLACKLOCK, M. J. M. L. GILMORE, JANET PATTERSON, P. D. GRIFFITHS & A. V. HOFFBRAND: T lymphocyte regeneration after transplantation of T cell depleted allogeneic bone marrow | 577 |
| M. G. RIDLEY, G. S. PANAYI, N. S. NICHOLAS & J. MURPHY: Mechanisms of macrophage activation in rheumatoid arthritis: the role of gamma interferon | 587 |

| | |
|--|-----|
| B. HARDING & STELLA C. KNIGHT: The distribution of dendritic cells in the synovial fluids of patients with arthritis | 594 |
| J. L. CHU, A. E. GHARAVI & K. B. ELKON: Spectrotypic analysis of IgM and IgA rheumatoid factors | 601 |
| ODILE COSTA, J. C. TCHOUATCHA-TCHOUASSOM, B. ROUX & J. C. MONIER: Anti-H1 histone antibodies in systemic lupus erythematosus: epitope localization after immunoblotting of chymotrypsin-digested H1 | 608 |
| JAYTHOON HASSAN, J. HANLY, B. BRESNIHAN, C. FEIGHERY & C. A. WHELAN: The immunological consequences of gold therapy: a prospective study in patients with rheumatoid arthritis | 614 |
| G. FRAMPTON, S. PERL, A. BENNETT & J. S. CAMERON: P ⁺ nucleotid-associated DNA and anti-DNA antibody to systemic lupus erythematosus with arthritis | 621 |
| M. J. NICOL, J. H. MILLER & T. J. NEALE: Tubular antigen-associated renal disease in New Zealand white rabbits | 629 |
| WILMA M. BAGCHUS, J. T. W. M. VOS, PH.J. HOEDEMAEKER & W. W. BAKKER: The specificity of nephritogenic antibodies. III. Binding of anti-Fx1A antibodies in glomeruli is dependent on dual specificity | 639 |
| CLAUDIA PEREZ LEIROS, LEONOR STERIN-BORDA, P. COSSIO, O. BUSTUOABAD & E. BORDA: Potential role of mononuclear cells infiltration on the autoimmune myocardial dysfunction | 648 |
| H. A. M. VERHEUL, L. P. C. SCHOT & A. H. W. M. SCHUURS: Effect of sex, gonadectomy and several steroids on the development of insulin-dependent diabetes mellitus in the BB rat | 656 |
| M. N. A. AL-AGHBAR, G. J. M. ALEXANDER, J. NEUBERGER, KAYHAN T. NOURI-ARIA, A. L. W. F. EDDLESTON & R. WILLIAMS: The effect of prednisolone <i>in vitro</i> on immunoglobulin production in primary biliary cirrhosis | 663 |
| J. KOSOWICZ, MARIA GRYCZYNSKA & G. F. BOTTAZZO: A radioimmunoassay for the detection of adrenal autoantibodies | 671 |
| EDITH WIENER, N. C. HUGHES-JONES, W. T. IRISH & S. N. WICKRAMASINGHE: Elution of antispertin antibodies from red cells in homozygous β -thalassaemia | 680 |
| R. C. REES, PAMELA VALLELY, A. CLEGG & C. W. POTTER: Suppression of natural and activated human antitumour cytotoxicity by human seminal plasma | 687 |
| E. KELEMEN, P. GERGELY, D. LEHOCZKY, ÉVA TRISKA, JUDIT DEMETER & P. VARGHA: Permanent large granular lymphocytosis in the blood of splenectomized individuals without concomitant increase of <i>in vitro</i> natural killer cell cytotoxicity | 696 |
| DOMINIQUE A. GRANATO & P. F. PIGUET: A mouse monoclonal IgE antibody anti bovine milk β -lactoglobulin allows studies of allergy in the gastrointestinal tract | 703 |
| H. SALARI, P. BERGEAT, S. STEFFENRUD, J. RICHARD, P. M. BÉDARD, J. HÉBERT & G. PELLETIER: Immunological and non-immunological release of leukotrienes and histamine from human nasal polyps | 711 |
| ENID G. SHEPHARD, R. ANDERSON, A. F. STRACHAN, S. H. KÜHN, F. C. DE BEER: CRP and neutrophils: functional effects and complex uptake | 718 |
| PO-CHUN TAI, MONIQUE CAPRON, D. M. BAKES, JULIA BARKANS & C. J. F. SPRY: Monoclonal antibodies to human eosinophil plasma membrane antigens enhance the secretion of eosinophil cationic protein | 728 |
| ANNOUNCEMENTS | 738 |
| AUTHOR AND SUBJECT INDEXES FOR VOLUME 63 | 739 |